


BC Series



Product Description

SALIRONE innovates not only the revolution & green composite material, but also brings durability and characteristics together with a variety of colors & texture, that creates a even better elegant fashion world.

Product Features

- Safe & Soft skin touch
- Antiallergic
- Anti-bacterial & Mould proof
- High/Low Temperature Resistance
- Extraordinary Low Permanent Elongation
- Colorful and stylish
- Green protective and environmental friendly

Color and texture

Custom colors and textures are available upon request.

Typical Applications

Clothes, bags, shoes...

Specification

Width: 1370mm

Put-up: 50m R.O.T.

Substrate Material Type: Blended fabric

Substrate Material Thickness: 0.3~0.7mm

CHARACTERISTICS VALUE

Tensile Force	longitudinal	≥160N
	Transverse	≥80N
Tensile Elongation	longitudinal	≥90%
	Transverse	≥280%
Tear Force	longitudinal	≥16N
	Transverse	≥33N

* All data value based on substrate material : Double soft top cloth, thickness is 0.5mm.

* All data shown only for basic reference, and not as specification or warranty.

CHARACTERISTICS VALUE

Tensile Force	longitudinal	≥150N
	Transverse	≥130N
Tensile Elongation	longitudinal	≥180%
	Transverse	≥230%
Tear Force	longitudinal	≥28N
	Transverse	≥28N

* All data value based on substrate material : Two ways stretch lycra, thickness is 0.6mm.

* All data shown only for basic reference, and not as specification or warranty.

CHARACTERISTICS VALUE

Tensile Force	longitudinal	≥220N
	Transverse	≥120N
Tensile Elongation	longitudinal	≥110%
	Transverse	≥300%
Tear Force	longitudinal	≥30N
	Transverse	≥40N

* All data value based on substrate material : One ways stretch, thickness is 0.58mm.

* All data shown only for basic reference, and not as specification or warranty.

CHARACTERISTICS		VALUE
Tensile Force	longitudinal	≥530N
	Transverse	≥200N
Tensile Elongation	longitudinal	≥70%
	Transverse	≥280%
Tear Force	longitudinal	≥36N
	Transverse	≥36N

* All data value based on substrate material : Stretch fabric, thickness is 0.68mm.

* All data shown only for basic reference, and not as specification or warranty.



SALIRONE INC.
 For more information
 ☎ 0752-5196280
 ✉ sales@salirone.com
 🌐 www.salirone.com